

NEOELCHINORHYNCHUS
AFGHANUS ♂
HOLOTYPE
No. Coll. 4-13

105 LABEO DERO
Host:
Location: STŘEVO
R. KABUL U DORONTA
Locality: 6. 10. 1974

PARADENTITRUNCUS
LONGIRECEPTACULIS
231 paratypes
No. Coll. A-84

Arius
Host: *sinensis*
Location: Red R.,
Vietnam
Locality: (1960-75)

CSAV -
Helmintologie
PARADENTITRUNCUS
LONGIRECEPTACULIS
♀♀ paratype
No. Coll. A-34

NEOECHINORHYNCHUS
AFGHANUS ♂
PARATYPE
No. Coll. A-13

105 LABEO DERO
Host:
Location: STŘEVO
R. KABUL U DORONTA
Locality: 6. 10. 1976

PARADENTITRUNCUS
LONGIRECEPTACULIS
♀ paratype
No. Coll. A-34

Host: Arius sinensis
Location: Red R., Vietnam
Locality: (1969-75)

11

PSEUDORHADINORHYNCHUS
VIETNAMENSIS
♀ paratypes fr.
No. Coll. A-33

Squalibarbus
Host: curriculus
Location: intestine
Red R., Vietnam
Locality: (1960-75)

PARADENTITRUNCUS
LONGIRECEPTACULIS
♂ paratype
No. Coll. A-34

Arius
Host: sinensis
Location: Red R.
Vietnam
Locality: (1960-75)

CSAV -
Helminthologie
Aurarius
Host: *sinensis*
Location: Red R.,
Vietnam
Locality: (1960-75)

PSEUDORHADINORHYNCHUS
VIETNAMENSIS
♀♀ allotypes ↑
No. Coll. A-33

Squalibarbus
Host: *curriculus*
Location: intestine
Red. R., Vietnam
Locality: (1960-75)

PARADENTITRUNCUS
LONGIRECEPTACULIS
♀♀ paratype ♂ r.
No. Coll. A-34

Host: Arius sinensis
Location: Red R. Vietnam
Locality: 1960. 75

PSEUDORHADINORHYNCHUS
VIETNAMENSIS
♂ holotype
No. Coll. A-33

Host: curriculum
Location: intestine
Red R., Vietnam
Locality: (1960-75)

PARADENTITRUNCUS
LONGIRECEPTACULIS
♀ paratype
No. Coll. A-34

Arius
Host: *sinensis*
Location: Red 2,
Vietnam
Locality: 1962-75

PSEUDORHADINORHYNCHUS
VIETNAMENSIS
♂ paratype
No. Coll. A-33

Squalibarbus
Host: *curriculus*
Location: Intestine
Red R., Vietnam
Locality: (1960-75)

PARADENTITRUNCUS
LONGIRECEPTACULIS
♂♂ holotype ↗
+ paratype
No. Coll. A-34

Host: Arius sinensis
Location: Red R., Vietnam
Locality: (1960-75)

PARADENTITRUNCUS
LONGIRECEPTACULIS
♀ paratype
No. Coll. A-34

Arius
Host: sinensis
Location: Red R.,
Vietnam
Locality: (1960-75)

PARADENTITRUNCUS
LONGIRECEPTACULIS
♀ allotype
No. Coll. A-34

Host: *Arius sinensis*
Location: Red R., Vietnam
Locality: (1960-75)

PARADENTITRUNCUS
LONGIRECEPTACULIS
♂¹ paratype
No. Coll. A-34

Host: Arius sinensis
Location: Red R., Vietnam
Locality: (1960-75)

PARADENTITRUNCUS
LONGIRECEPTACULIS
♀♀ paratype
No. Coll. A-34

Arius
Host: sinensis
Location: Red R.
Vietnam
Locality: (1960-75)

PARADENTITRUNCUS
LONGIRECEPTACULIS
♀ paratype
No. Coll. A-34

Host: *Arius sinensis*
Location: Red R., Vietnam
Locality: (1960-75)

PARADENTITRUNCUS
LONGIRECEPTACULIS
♀ paratype + r.
No. Coll. A-34

Host: *Arius sinensis*
Location: Red R.,
Vietnam
Locality: (1960-75)

PARADENTITRUNCUS
LONGIRECEPTACULIS
♀♀ paratype
No. Coll. A-34

Arius
Host: *Sinansia*
Location: Rad. R.
Vietnam
Locality: (1960-45)

PARADENTITRUNCUS
LONGIRECEPTACULIS
♀ paratype
No. Coll. A-34

Host: *sinensis*
Location: Red R.,
Vietnam
Locality: (1960-75)

PARADENTITRUNCUS
LONGIRECEPTACULIS
♂ paratype
No. Coll. A-34

Host: Arius sinensis
Location: Red R., Vietnam
Locality: (1960-75)

PARADENTITRUNCUS
LONGIRECEPTACULIS
♂ paratype
No. Coll. A-34

Arius
Host: sinensis
Location: Red R.
Vietnam
Locality: (1960-75)

CSAV - Helmintologie CANTHAYACANTHUS BAGARII ♂ paratypes fr. No. Coll. A-35	CSAV - Helmintologie Host: <i>Bagarius bagarius</i> Location: intestine Red R., Vietnam Locality: (1960-75)	CSAV - Helmintologie CLEAVEIUS LONGIROSTRIS ♂ paratype No. Coll. A-36	CSAV - Helmintologie Glossogobius Host: <i>giurus</i> Location: intestine Red R., Vietnam Locality: (1960-75)
CSAV - Helmintologie CANTHAYACANTHUS BAGARII ♀ fr. + ♂ fr. paratypes No. Coll. A-35	CSAV - Helmintologie Host: <i>Bagarius bagarius</i> Location: intestine Red R., Vietnam Locality: (1960-75)	CSAV - Helmintologie CLEAVEIUS LONGIROSTRIS ♂ + ♀ juv. paratypes No. Coll. A-36	CSAV - Helmintologie Glossogobius Host: <i>giurus</i> Location: intestine Red R., Vietnam Locality: (1960-75)
CSAV - Helmintologie CANTHAYACANTHUS BAGARII ♂ holotype No. Coll. A-35	CSAV - Helmintologie Host: <i>Bagarius bagarius</i> Location: intestine Red R., Vietnam Locality: (1960-75)	CSAV - Helmintologie CLEAVEIUS LONGIROSTRIS ♂ + ♀ juv. paratypes No. Coll. A-36	CSAV - Helmintologie Erythroculiter Host: <i>recurvirostris</i> Location: intestine Red R., Vietnam Locality: (1960-75)
CSAV - Helmintologie CANTHAYACANTHUS BAGARII ♀ allotype No. Coll. A-35	CSAV - Helmintologie Host: <i>Bagarius bagarius</i> Location: intestine Red R., Vietnam Locality: (1960-75)	CSAV - Helmintologie CLEAVEIUS LONGISTRIS ♀ juv. paratype No. Coll. A-36	CSAV - Helmintologie Rhinogobius Host: <i>hadropterus</i> Location: intestine Red R., Vietnam Locality: (1960-75)
CSAV - Helmintologie CANTHAYACANTHUS BAGARII ♀ paratype No. Coll. A-35	CSAV - Helmintologie Host: <i>Bagarius bagarius</i> Location: intestine Red R., Vietnam Locality: (1960-75)	CSAV - Helmintologie CLEAVEIUS LONGIROSTRIS ♀ juv. paratype No. Coll. A-36	CSAV - Helmintologie Rhinogobius Host: <i>hadropterus</i> Location: intestine Red R., Vietnam Locality: (1960-75)
CSAV - Helmintologie CANTHAYACANTHUS BAGARII ♂ paratype No. Coll. A-35	CSAV - Helmintologie Host: <i>Bagarius bagarius</i> Location: intestine Red R., Vietnam Locality: (1960-75)	CSAV - Helmintologie CLEAVEIUS LONGISTRIS ♀ juv. paratype No. Coll. A-36	CSAV - Helmintologie Rhinogobius Host: <i>hadropterus</i> Location: intestine Red R., Vietnam Locality: (1960-75)
CSAV - Helmintologie CLEAVEIUS LONGIROSTRIS ♂ holotype No. Coll. A-36	CSAV - Helmintologie Cirrhina Host: <i>molitorella</i> Location: intestine Red R., Vietnam Locality: (1960-75)	CSAV - Helmintologie CLEAVEIUS LONGISTRIS ♂ paratype No. Coll. A-36	CSAV - Helmintologie Rhinogobius Host: <i>hadropterus</i> Location: intestine Red R., Vietnam Locality: (1960-75)
CSAV - Helmintologie CLEAVEIUS LONGIROSTRIS ♀ juv. allotype No. Coll. A-36	CSAV - Helmintologie Cirrhina Host: <i>molitorella</i> Location: intestine Red R., Vietnam Locality: (1960-75)	CSAV - Helmintologie CLEAVEIUS LONGIROSTRIS ♀ paratype fr. No. Coll. A-36	CSAV - Helmintologie Glossogobius Host: <i>giurus</i> Location: intestine Red R., Vietnam Locality: (1960-75)
CSAV - Helmintologie CLEAVEIUS LONGISTRIS ♀ juv. paratype No. Coll. A-36	CSAV - Helmintologie Cirrhina Host: <i>molitorella</i> Location: intestine Red R., Vietnam Locality: (1960-75)	CSAV - Helmintologie CLEAVEIUS LONGISTRIS ♀ paratype fr. No. Coll. A-36	CSAV - Helmintologie Cirrhina Host: <i>molitorella</i> Location: intestine Red R., Vietnam Locality: (1960-75)

[illegible]

Institute of Parasitology
AV ČR, Čes. Budějovice

HYPOECHINORHYNCHUS

ROBUSTUS ♀

Paratype

Coll. No. A-66



Institute of Parasitology
AV ČR, Čes. Budějovice

Notolabrus

Host: *Panizus*

Location: intestine

Pt Peron,
Locality: ~~W~~ Australia
(x. 1994)



IPCAS

Paratype

Breizacanthus aznari (Male)

Hernandez-Orts et al 2012

Host: *Rana*

Host total length: 19.8 cm

Collector: J.S. Hernandez-Orts

Chubut, Argentina

47°00'-47°19' S, 61°59'-64°25' W

November 2007

Mayer's hematoxylin
& eosin yellowish

A-84

Institute of Parasitology
AV ČR, Čes. Budějovice

DENDRONUCLEATA

AMERICANA ♂

Paratype

Coll. No. A-67




Institute of Parasitology
AV ČR, Čes. Budějovice

Typhlomolge

Host: *rathbuni*

Location: Intestine

Locality: *San Marcos*
Texas, USA



IPCAS

Paratype

Breizacanthus aznari (Female)

Hernandez-Orts et al 2012

Host: *Rana*

Host total length: 21.2 cm

Collector: J.S. Hernandez-Orts

Chubut, Argentina

47°00'-47°19' S, 61°59'-64°25' W

November 2007

Mayer's hematoxylin
& eosin yellowish

A-84

Institute of Parasitology
AV ČR, Čes. Budějovice

DENDRONUCLEATA

AMERICANA ♀

Paratype

Coll. No. A-67



Institute of Parasitology
AV ČR, Čes. Budějovice

Typhlomolge

Host: *rathbuni*

Location: Intestine

Locality: *San Marcos*
Texas, USA



IPCAS

Paratype

Breizacanthus aznari (Female)

Hernandez-Orts et al 2012

Host: *Rana*

Host total length: 21.2 cm

Collector: J.S. Hernandez-Orts

Chubut, Argentina

47°00'-47°19' S, 61°59'-64°25' W

November 2007

Mayer's hematoxylin
& eosin yellowish

A-84

Institute of Parasitology
AV ČR, Čes. Budějovice

DENDRONUCLEATA

AMERICANA ♀

Paratype

Coll. No. A-67



Institute of Parasitology
AV ČR, Čes. Budějovice

Typhlomolge

Host: *rathbuni*

Location: Intestine

Locality: *San Marcos*
Texas, USA



IPCAS

Paratype

Breizacanthus aznari (Male)

Hernandez-Orts et al 2012

Host: *Rana*

Host total length: 21.2 cm

Collector: J.S. Hernandez-Orts

Chubut, Argentina

47°00'-47°19' S, 61°59'-64°25' W

November 2007

Mayer's hematoxylin
& eosin yellowish

A-84


Institute of Parasitology
AV ČR, Čes. Budějovice

DENDRONUCLEATA

AMERICANA ♂

Paratype

Coll. No. A-67



Institute of Parasitology
AV ČR, Čes. Budějovice

Typhlomolge

Host: *rathbuni*

Location: Intestine

Locality: *San Marcos*
Texas, USA

mathevoctae
A-90

Cestoda

Moniliformis saudi
1♀ + cestode type
ex. Paraechinus
rethiopsis,
Unaizah, Saudi
Arabia 2014-2015
Amir A-90

A-90 PARATYPE



Institute of Parasitology
AV ČR, Čes. Budějovice

NEOECHINORHYNCHUS

ZABENSIS ♀♀

- paratype

Coll. No. A-77

Host: *Capoeta damascina*

Site: Intestine

Locality: Greater
Zab River, N. Iraq
2001



Institute of Parasitology
AV ČR, Čes. Budějovice

NEOECHINORHYNCHUS

ZABENSIS ♂♂


- paratype

Coll. No. A-77

Host: *Capoeta damascina*

Site: Intestine

Locality: Greater
Zab River, N. Iraq
2001



Institute of Parasitology
AV ČR, Čes. Budějovice

NEOECHINORHYNCHUS

ZABENSIS

- paratype

Coll. No. A-77

Host: *Capoeta damascina*

Site: Intestine

Locality: Greater
Zab River, N. Iraq
2001



Sharpilosentis peruensis Lisitsyna, Kuchta et Scholz, 2015

paratype **A-87**


Host: *Duopalatium peruanus* (PI 855a)

Location: intestine

Locality: Rio Nanay, Peru

Date: 10. i. 2011

Collector: R. Kuchta and T. Scholz



Sharpilosentis peruensis Lisitsyna, Kuchta et Scholz, 2015
holotype A-87

Host: *Duopalatium peruanus* (PI 855a)

Location: intestine

Locality: Rio Nanay, Peru

Date: 10. i. 2011

Collector: R. Kuchta and T. Scholz

Pomphorhynchus omarsegundoi Arrendo et Gil de Pertierra, 2010

paratype ♂ A-81


Host: *Gymnotus carapo*

Location: middle intestine

Locality: Colastiné River, Santa Fé province, Argentina

Collectors: N. Arredondo and A.A. Gil de Pertierra





***Megistacantha sanghaensis* Kvach, Jirků et Scholz, 2016**
holotype A-94

Host: *Mormyrops anguilloides*

Location: intestine


Locality: Sangha River north of Bayanga,

Dzanga-Sangha Protected Areas, CAR

(2.984152°N, 16.231797°E)

Date: 11. xi. 2012

Collector: M. Jirků



Gymnorhadinorhynchus decapteri

Braicovich, Lanfranchi, Farber, Marvaldi, Luque et Timi, 2014

paratype ♀ A-85

Host: *Decapterus punctatus*

Location: intestine

Locality: Cabo Frio, Rio de Janeiro, Brazil

Date: xi. 2009

Collector: P. Braicovich



Gymnorhadinorhynchus decapteri

Braicovich, Lanfranchi, Farber, Marvaldi, Luque et Timi, 2014

paratype ♂ A-85

Host: *Decapterus punctatus*

Location: intestine

Locality: Cabo Frio, Rio de Janeiro, Brazil

Date: xi. 2009

Collector: P. Braicovich